

CHEMISTRY HIGHER LEVEL PAPER 3

Friday 19 May 2006 (morning)

1 hour 15 minutes

2206-6103

(Candi	idate	sessi	ion n	umbe	r	
0							

INSTRUCTIONS TO CANDIDATES

- Write your session number in the boxes above.
- Do not open this examination paper until instructed to do so.
- Answer all of the questions from two of the Options in the spaces provided. You may continue your answers on answer sheets. Write your session number on each answer sheet, and attach them to this examination paper and your cover sheet using the tag provided.
- At the end of the examination, indicate the letters of the Options answered in the candidate box on your cover sheet and indicate the number of answer sheets used in the appropriate box on your cover sheet.

Option B – Medicines and drugs

B1.	(a)	Describe the likely effect of a depressant taken in:	[1]
		a moderate dose. a high dose.	
	(b)	Ethanol in breath can be detected using a breathalyser containing potassium dichromate(VI) crystals. Describe the colour change that occurs in a positive test and identify the species responsible for the final colour.	[2]



В3.	(a)	State two differences between viruses and bacteria.	[2]
	(b)	Suggest how acyclovir acts as an antiviral drug.	[2]
	(c)	Describe two ways in which an antiviral drug can prevent the HIV virus from interacting with human cells.	[2]



B4.	(a)	For each of the following anesthetics, state one disadvantage, different in each case, of its use.	[3]
		nitrous oxide	
		ethoxyethane	
		halothane	
	(b)	An anesthetic mixture of gases is composed of nitrogen, oxygen and nitrous oxide. The gases are mixed in a 40 dm ³ container where their partial pressures are 0.8 atm, 0.3 atm and 0.1 atm respectively, at a temperature of 20°C.	
		(i) Calculate the total pressure in the container.	[1]
		(ii) Calculate the mole fraction of oxygen gas present in the mixture.	[1]

B5.	The manufacture of some drugs results in the formation of a racemic mixture. Explain why it is often preferable to use a method which does not form a racemic mixture, giving one example of such a drug and its effects.								




Option C – Human biochemistry

C1. (a) (i) Deduce the structure of **one** of the dipeptides that can be formed when the two aminoacids below react together. [2]

 H_2N —CH—C—OH H_2N —CH—C—OH CH_3 CH_3

- (ii) State the name given to this type of reaction and identify the other product of the reaction. [2]
- Describe how a mixture of aminoacids can be analysed using electrophoresis. [4]
- (c) (i) Explain what is meant by the primary structure of proteins. [1]
 - (ii) Explain, with reference to hydrogen bonding, why the α-helix and β-sheet secondary structures of proteins are different. [2]




(b)

C2.	(a)	The formula of oleic acid is $CH_3(CH_2)_7CH = CH(CH_2)_7COOH$. Using R to represent $CH_3(CH_2)_7CH = CH(CH_2)_7$, show the structure of the triglyceride formed from this acid.	[1]
	(b)	Explain why some triglycerides that are liquid at room temperature become solids when they are completely hydrogenated.	[3]



Discuss the effect of a competitive inhibitor on an enzyme catalysed reaction.				


(b) The effect of a competitive inhibitor on an enzyme catalysed reaction can be shown on the graph below.



Annotate the graph to show the position of $K_{\rm m}$ for the reaction. Draw a line on the graph to represent the effect of competitive inhibition.

[1]

C4. The following drawing shows a section of a molecule of a nucleic acid.



- (a) Identify the part of the nucleic acid that represents one nucleotide, by enclosing it within a ring and labelling it as "nucleotide".
- (b) For a different nucleotide in the nucleic acid molecule, identify its three parts, by circling each one and labelling it with an appropriate name.

 [3]

$Option\ D-Environmental\ chemistry$

			[3]
(a)	(i)	Only a small part of the Earth's supply of fresh water is used for domestic purposes. State the two main uses of fresh water.	[1]
	(ii)	Identify the two locations that hold most of the Earth's water.	[2]
(b)	(i)	Outline how ion exchange is used to obtain fresh water from sea water.	[4]
	in th	in the atm	(ii) Identify the two locations that hold most of the Earth's water. (b) (i) Outline how ion exchange is used to obtain fresh water from sea water.

(This question continues on the following page)



(Question D2 continued)


	(ii) Discuss one advantage and one disadvantage of this method over simple distillation.	[2]
(c)	Explain what is meant by the term <i>biological oxygen demand (BOD)</i> . Compare the values of BOD for water that is pure and water that contains organic waste.	[3]



D3 .	(a)	Describe the main source of photochemical smog and of reducing smog.	[2]
		photochemical smog:	
		reducing smog:	
	(b)	Describe the differences in the contents of the types of smog listed in (a).	[2]
	(c)	Explain how the formation of thermal inversions may increase the effect of pollution.	[2]

D4.	(a)	Compounds used in sunscreens contain a specific molecular feature. Identify this feature and describe how the compound interacts with sunlight.					

(b) Identify the **two** substances below that are likely to be included in sunscreens. [2]



$$\begin{array}{c} CH_3 \\ CH_3 \\ CH_3 \\ CH_3 \\ CH_3 \end{array}$$

D

......

$Option\ E-Chemical\ industries$

E1.			factors that should be taken into account before establishing a chemical industry in a location.	[2]
E2.	(a)	State	e the raw materials needed to produce iron from iron ore in the blast furnace.	[2]
	(b)	(i)	Explain why iron from the blast furnace is not as suitable as steel for making many objects.	[2]
		(ii)	Outline how iron from the blast furnace is converted to steel. Include an equation in your answer.	[2]

(This question continues on the following page)



(Question E2 continued)

	(c)	Discuss the environmental impact of aluminium production.	[4]
E3.	(a)	State the most important use of petroleum, other than as a fuel.	[1]
	(b)	(i) Explain why crude oil contains sulfur.	[1]
		(ii) Explain why sulfur is removed from most petroleum products before use.	[1]



E4. Chlorine and hydrogen are produced in a diaphragm cell.			
	(a)	State the raw material used in the diaphragm cell.	[1]
	(b)	Write one equation for a reaction occurring at each electrode.	[2]
		negative electrode	
		positive electrode	
	(c)	Identify the other product of the diaphragm cell and outline how it is formed.	[2]

E5. Refer to Table 12 in the Data Booklet when answering this question.				
	(a)		uce the minimum temperature at which mercury can be obtained by spontaneous emposition of its oxide, giving a reason for your choice.	[2]
	(b)	Chro	omium metal can be obtained from its oxide, Cr_2O_3 , by heating with a reducing at.	
		(i)	Deduce the minimum temperature at which carbon can be used as the reducing agent. Deduce the equation for the reaction.	[2]
		(ii)	Explain why carbon monoxide is not used as the reducing agent.	[1]



Option F – Fuels and energy

F1.	(a)	State two desirable characteristics of energy sources.	[2]
			. •
			•
			•
((b)	For each of the following energy sources, outline one reason why it is not widely used present.	at <i>[2]</i>
		(i) Nuclear fusion	
			•
		(ii) Tidal energy	

		bustion of gasoline (petrol). cuss three advantages and three disadvantages of using photovoltaic cells in this case.	[6]
	adva	nntages	
	disa	dvantages	
F3.	(a)	Identify the materials used for the electrodes in a lead-acid battery.	[1]
	(b)	One reaction that occurs in a lead-acid battery involves the conversion of PbO ₂ into PbSO ₄ . Write a half-equation for this reaction.	
		Identify, giving a reason, whether this reaction occurs at the negative or positive electrode.	[2]



5.	(a)	Describe the characteristics of the high-level radioactive waste produced by a nuclear power plant.	
	(b)	Describe how high-level radioactive waste can be stored.	
	(c)	The radioactive isotope Pu-242 has a half-life of 3.8×10^5 years. Calculate the time for the activity of a sample of this isotope to decrease to 10 % of its original value.	

Option G – Modern analytical chemistry

Information

Isotopic composition of an element

compound

waste waters

(i)


Functional groups present in an organic

Concentration of Fe³⁺ ions in industrial

G1. Identify **one** analytical technique, different in each case, that can be used to obtain the following information: [3]

Analytical technique	

G2. (a) The diagram below represents the principal parts of a double beam infrared spectrometer.



Name the parts labelled A, B, and C.

	A:	
	B:	
	C:	
(ii)	Describe the function of the monochromator, M.	[1]

(This question continues on the following page)

[2]



(Question G2 continued)

	(iii) Explain how the detector, D, works.	[2]
(b)	State and explain what happens to a molecule when it absorbs infrared radiation.	[2]

(This question continues on the following page)

[5]

(Question G2 continued)


(c) Each of the infrared absorptions A, B and C is produced by one of the compounds I, II and III. Deduce which compound is responsible for each absorption, and identify the bond causing the absorption.


I II III NH2


OH CH2 CH_2 CH_3 CH_2 CH_3 CH_3 CH_3 CH_3 CH_3 CH_3 CH_3

wavenumbers in cm⁻¹

3500 3300 3100







Absorption	Compound	Bond
A		
В		
С		

(d) Identify which of the absorptions, A, B or C, indicates the greatest amount of energy, giving a reason for you choice. [2]

Identify, giving a reason which of the techniques GLC or HPLC is more suitable for


determining the composition of a mixture of sugars.

(This question continues on the following page)

[2]

(Question G3 continued)

(c) Two samples of unknown alkaloids (X and Y) are analysed using paper chromatography. They are compared against the results obtained with samples of four known alkaloids A, B, C and D. The results are shown in the table below:



Sample	R _f value
A	0.1
В	0.5
С	0.7
D	0.8
X	0.1 and 0.3
Y	0.5

(i)	Explain how an $R_{\rm f}$ value is calculated.	[1]
(ii)	Use the results above to discuss the composition of samples X and Y.	[3]



Option H – Further organic chemistry

H1.	Chlorine	and ethane	react	together	to	form	chloroethan	e
	CIIIOIIIC	and culture	Touct	together	$\iota \circ$	101111	ciiioi o cuitaii	•

(a)	State the condition needed for the reaction to occur.			
(b)	Write equations to represent initiation, propagation and termination steps in the reaction.	[4]		
(c)	Discuss how the release of chlorinated alkanes at sea level can affect the levels of ozone in the upper atmosphere.	[3]		

Н2.	(a)	Identify the reagents used in the nitration of benzene.	[2]
	(b)	Write an equation or equations to show the formation of the species $\mathrm{NO_2}^+$ from these reagents.	[1]
	(c)	Give the mechanism for the nitration of benzene. Use curly arrows to represent the movement of electron pairs.	[2]
	(d)	Predict the structures of the products of the (mono) nitration of methylbenzene	[3]
		methylbenzene (two products)	
		nitrobenzene (one product)	
	(e)	Explain why the nitration of methylbenzene is faster than the nitration of benzene.	[2]
	(f)	Identify the reagent and catalyst used to convert benzene into methylbenzene.	[2]



H3. Butan-2-ol can be converted to but-2-ene.

(a)	State the reagent used for this conversion and identify the type of reaction.					
(b)	Cive the mechanism for the reaction. Use early erroves to represent the maximum of					

(b) Give the mechanism for the reaction. Use curly arrows to represent the movement of electron pairs. [3]

